



MATERIAL SAFETY DATA SHEET

SIKADUR 43 PATCH PAK PART A

HMIS

| | |
|---------------------|---|
| HEALTH | 2 |
| FLAMMABILITY | 1 |
| REACTIVITY | 0 |
| PERSONAL PROTECTION | C |

1. Product And Company Identification

| | |
|---|---|
| Supplier SIKA CORPORATION 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: Kristin Kelley Telephone Number: (201) 933-8800 FAX Number: (201) 933-9379 Web Site: www.sikausa.com | Manufacturer SIKA CORPORATION 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: Kristin Kelley Telephone Number: (201) 933-8800 FAX Number: (201) 933-9379 Web Site: www.sikausa.com |
| Supplier Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887 | Manufacturer Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887 |

Issue Date: 11/09/2001

Product Name: SIKADUR 43 PATCH PAK PART A
CAS Number: Not Established
Chemical Family: EPOXY RESIN
MSDS Number: 29
Product Code: NO. 330

Synonyms
 NO. 330 PART A

2. Composition/Information On Ingredients

| Ingredient Name | CAS Number | Percent Of Total Weight |
|----------------------|--------------|-------------------------|
| MODIFIED EPOXY RESIN | Not Establis | |

3. Hazards Identification

Eye Hazards
 EYE IRRITANT

Skin Hazards
 May cause skin irritation. May cause allergic skin reaction.

Ingestion Hazards
 NOT NORMALLY INGESTED

Inhalation Hazards
 May cause nose, throat, and lung irritation.

SIKADUR 43 PATCH PAK PART A

3. Hazards Identification - Continued

Inhalation Hazards - Continued

4. First Aid Measures

Eye

RINSE EYES THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN.

Skin

WASH SKIN THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. IF SYMPTOMS PERSIST CONSULT PHYSICIAN.

Ingestion

DILUTE WITH WATER. CONTACT PHYSICIAN IF NECESSARY.

Inhalation

REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, INSTITUTE ARTIFICIAL RESPIRATION. CONSULT WITH PHYSICIAN.

5. Fire Fighting Measures

Flash Point: 350 °F

Flash Point Method: COC

Autoignition Point: N/AV °F

Flammability Class: NCMB

Lower Explosive Limit: N/AV

Upper Explosive Limit: N/AV

Fire And Explosion Hazards

NONE KNOWN

Extinguishing Media

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

CONTAIN SPILL AND COLLECT WITH ABSORBENT MATERIAL. SHOVEL INTO CLOSABLE CONTAINERS. AVOID CONTACT.

7. Handling And Storage

Handling And Storage Precautions

STORE IN A COOL DRY AREA. KEEP CONTAINERS TIGHTLY CLOSED.

Work/Hygienic Practices

WASH THOROUGHLY AFTER HANDLING PRODUCT.

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation.

Eye/Face Protection

Safety glasses with side shields or goggles.

SIKADUR 43 PATCH PAK PART A

8. Exposure Controls/Personal Protection - Continued

Skin Protection

AVOID SKIN CONTACT. WEAR LONG SLEEVE SHIRT AND LONG PANTS. CHEMICAL RESISTANT RUBBER OR PLASTIC GLOVES.

Respiratory Protection

In areas where the P.E.L.s are exceeded, use a properly fitted NIOSH-approved respirator.

9. Physical And Chemical Properties

Appearance

LIGHT YELLOW LIQUID

Odor

AROMATIC ODOR

Chemical Type: Mixture

Physical State: Liquid

Melting Point: N/AV °F

Boiling Point: N/AV °F

Specific Gravity: 1.13

Percent Volatiles: N/AV

Packing Density: 9.44#/GAL

Vapor Density: >AIR

Solubility: N/AV

Evaporation Rate: SLOWER THAN ETHER

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

Conditions To Avoid (Stability)

NONE KNOWN.

Incompatible Materials

STRONG ACIDS AND OXIDIZING AGENTS

Hazardous Decomposition Products

NITROGEN OXIDES, CO, CO2

Conditions To Avoid (Polymerization)

EXOTHERM WHEN CURING IN MASS

11. Toxicological Information

Conditions Aggravated By Exposure

ASTHMA TYPE CONDITIONS, CHRONIC BRONCHITIS AND OTHER CHRONIC RESPIRATORY CONDITIONS. RECURRENT SKIN ECZEMA. PRESENSITIZATION TO PRODUCT.

12. Ecological Information

No Data Available...

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

MATERIAL SAFETY DATA SHEET

Page 4 of 4

SIKADUR 43 PATCH PAK PART A

14. Transport Information

Proper Shipping Name

NOT REGULATED PER D.O.T.

15. Regulatory Information

U.S. Regulatory Information

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA Hazard Classes

Acute Health Hazard

SARA Section 313 Notification

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

16. Other Information

HMIS Rating

Health: 2

Fire: 1

Reactivity: 0

PPE: C

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

SIKA CORPORATION