



MATERIAL SAFETY DATA SHEET

Page 1 of 5

SIKADUR 43 PATCH PAK PART B

HMIS

HEALTH	3
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	C

1. Product And Company Identification

Supplier SIKA CORPORATION 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: Kristin Kelley Telephone Number: (201) 933-8800 FAX Number: (201) 933-9379 Web Site: www.sikausa.com	Manufacturer SIKA CORPORATION 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: Kristin Kelley Telephone Number: (201) 933-8800 FAX Number: (201) 933-9379 Web Site: www.sikausa.com
Supplier Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887	Manufacturer Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887

Issue Date: 11/09/2001

Product Name: SIKADUR 43 PATCH PAK PART B

CAS Number: Not Established

Chemical Family: AMINE COMPOUND

MSDS Number: 44

Product Code: NO. 330

Synonyms

NO. 330 PART B

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL	90-72-2	
NONYLPHENOL	25154-52-3	
PROPRIETARY BLEND OF ALIPHATIC AND CYCLIC AMINES	Not Establis	

3. Hazards Identification

Eye Hazards

MAY CAUSE EFFECTS TO THE EYE OR VISUAL CAPACITY, SUCH AS DIPLOPIA, EYE GROUND, CATARACTS, VISUAL DISTURBANCES, CORNEA DAMAGE, DAMAGE TO THE OPTIC NERVE, OR BLINDNESS.

Skin Hazards

CAUSES VISIBLE DESTRUCTION OF,OR IRREVERSIBLE ALTERATIONS IN, LIVING TISSUE BY CHEMICAL ACTION AT THE SITE OF CONTACT WHEN TESTED BY METHODS SUCH AS DOT 49 CFR PART 173, PART A. CAUSES AN ALLERGIC SENSITIZATION IN A SUBSTANTIAL PROPORTION OF HUMANS OR ANIMALS IN

SIKADUR 43 PATCH PAK PART B

3. Hazards Identification - Continued

Skin Hazards - Continued

NORMAL TISSUE AFTER REPEATED EXPOSURES.

Ingestion Hazards

NOT NORMALLY INGESTED

Inhalation Hazards

May cause nose, throat, and lung irritation.

4. First Aid Measures

Eye

RINSE EYES THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN.

Skin

WASH SKIN THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. IF SYMPTOMS PERSIST CONSULT PHYSICIAN.

Ingestion

DILUTE WITH WATER. DO NOT INDUCE VOMITING. CONSULT PHYSICIAN.

Inhalation

REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, INSTITUTE ARTIFICIAL RESPIRATION. CONSULT WITH PHYSICIAN.

5. Fire Fighting Measures

Flash Point: 220 °F

Flash Point Method: COC

Autoignition Point: N/AV °F

Flammability Class: NCMB

Lower Explosive Limit: N/AV

Upper Explosive Limit: N/AV

Fire And Explosion Hazards

NONE KNOWN

Extinguishing Media

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

CONTAIN SPILL AND COLLECT WITH ABSORBENT MATERIAL. SHOVEL INTO CLOSABLE CONTAINERS. AVOID CONTACT.

7. Handling And Storage

Handling And Storage Precautions

STORE IN A COOL AREA. KEEP CONTAINERS TIGHTLY CLOSED.

Work/Hygienic Practices

Use good personal hygiene.

SIKADUR 43 PATCH PAK PART B

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation.

Eye/Face Protection

Safety glasses with side shields or goggles.

Skin Protection

Chemical-resistant gloves. Lab coat or other work clothing. Launder before reuse.

Respiratory Protection

In areas where the P.E.L.s are exceeded, use a properly fitted NIOSH-approved respirator.

Ingredient(s) - Exposure Limits

2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL

OSHA PEL/TWA: 5 PPM

PROPRIETARY BLEND OF ALIPHATIC AND CYCLIC AMINES

OSHA N/E

ACGIH N/E

NTP N/AP

IARC N/AP

9. Physical And Chemical Properties

Appearance

YELLOW/AMBER LIQUID

Odor

AMINE ODOR

Chemical Type: Mixture

Physical State: Liquid

Melting Point: N/AV °F

Boiling Point: N/AV °F

Specific Gravity: 1.98

Percent Volatiles: N/AV

Packing Density: 8.19#/GAL

Vapor Pressure: N/AV

Vapor Density: >AIR

Solubility: N/AV

Evaporation Rate: SLOWER THAN ETHER

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

Conditions To Avoid (Stability)

NONE KNOWN.

Incompatible Materials

STRONG ACIDS AND OXIDIZING AGENTS

Hazardous Decomposition Products

NITROGEN OXIDES, CO, CO2

Conditions To Avoid (Polymerization)

EXOTHERM WHEN CURING IN MASS.

MATERIAL SAFETY DATA SHEET

Page 4 of 5

SIKADUR 43 PATCH PAK PART B

11. Toxicological Information
Conditions Aggravated By Exposure ASTHMA TYPE CONDITIONS, CHRONIC BRONCHITIS AND OTHER CHRONIC RESPIRATORY CONDITIONS. RECURRENT SKIN ECZEMA. PRESENSITIZATION TO PRODUCT.
12. Ecological Information
No Data Available...
13. Disposal Considerations
Dispose in accordance with applicable federal, state and local government regulations.
14. Transport Information
Proper Shipping Name CORROSIVE LIQUID N.O.S. (AMINES) (Marine Pollutant - Nonyl Phenol)
Hazard Class 8, PG II
DOT Identification Number UN1760
DOT Shipping Label Marine Pollutant
Additional Shipping Paper Description ADDITIONAL MARKING: MARINE POLLUTANT
15. Regulatory Information
U.S. Regulatory Information All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
SARA Hazard Classes Acute Health Hazard
SARA Section 313 Notification This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.
Ingredient(s) - State Regulations NONYLPHENOL Pennsylvania - Workplace Hazard Massachusetts - Hazardous Substance
16. Other Information
HMIS Rating Health: 3 Fire: 1 Reactivity: 0 PPE: C
Disclaimer The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no

MATERIAL SAFETY DATA SHEET

Page 5 of 5

SIKADUR 43 PATCH PAK PART B

Disclaimer - Continued

warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

SIKA CORPORATION